

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S414	164	(arrang\$5 sort\$5 order\$5) with (xml) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:08
S415	20	(arrang\$5 sort\$5 order\$5) with (xml) with node with (depth index\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:31
S417	564	(arrang\$5 sort\$5 order\$5) with node with (depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:12
S420	26	(arrang\$5 sort\$5 order\$5) with (xml) with node same (depth index\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:12
S428	6	(rearrang\$5) with node with (depth index\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:31
S429	2	(arrang\$5 sort\$5 order\$5) with (xml) with node with (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:32
S430	3	(arrang\$5 sort\$5 order\$5) with (xml html) with node with (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:33
S431	948	(rearrang\$5 regenerat\$5 arrang\$5 sort\$5 order\$5) with node with (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:35
S432	1030	(rearrang\$5 regenerat\$5 arrang\$5 sort\$5 order\$5) with node with (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:37
S433	31	S432 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:37
S434	28	S432 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:49

S43 5	273	sort\$5 with node and (xml html) and (depth level priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:15
S43 6	23	sort\$5 with (namespace (name adj space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:21
S43 7	25	x-sort\$5 xsort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:21
S43 8	86	sort\$5 same (namespace (name adj space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:21
S43 9	87	(xsort\$5 sort\$5) same (namespace (name adj space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 07:53
S44 0	43	S439 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:22
S44 5	24	xmlserializer (xml-serializer) (xml adj serializer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:05
S44 7	83	((namespace) (name-space) (xmlnamespace)) with (index\$5 sort\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:25
S45 1	1	xmlns\$20 with (index\$5 sort\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:26
S45 2	50	xmlns\$20 same (index\$5 sort\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:27
S45 3	7	xmlns\$20 same (sort\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:50

S45 4	202	(add\$5 includ\$5) with (depth) with (document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:20
S45 5	12	(add\$5 includ\$5) with (depth) with xml with (document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:35
S45 6	8	(transform\$5 conver\$5 translat\$5) with (posision depth) with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:36
S45 7	92	(transform\$5 conver\$5 translat\$5) with (posision depth) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:02
S45 8	16348	(add\$5 includ\$5 modif\$5) with (posision depth level) with (node xml html document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:04
S45 9	1461	(add\$5 modif\$5) with (posision depth level) with (xml html document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:05
S46 0	195	(add\$5 modif\$5) with (posision depth level) with (xml html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:05
S46 1	39	(add\$5 modif\$5) with (posision depth level) with tag with (xml html document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:21
S46 2	27	(delet\$5 remov\$5) with (position\$5 depth level index) with tag\$5 with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:23
S46 4	14	(delet\$5 remov\$5) with (position\$5 depth level index) with tag\$5 with (html xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:23
S46 5	77	(delet\$5 remov\$5) with (position\$5 depth level index) with (html xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:54

S46 8	32	(conver\$5 with restor\$5) with ((structure\$5 with document) xml html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:07
S47 1	538	(re-order\$5 reorder\$5) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:33
S47 2	6	(re-order\$5 reorder\$5) with node same (restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:26
S47 5	6	restor\$5 with delet\$5 with extract\$5 with (position\$5 depth level index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:34
S47 6	198	restor\$5 with delet\$5 with (position\$5 depth level index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:34
S47 7	10	restor\$5 with document with delet\$5 with (position\$5 depth level index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:35
S47 9	509	delet\$5 with (position\$5 depth level index) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:35
S48 0	4	delet\$5 with (position\$5 depth level index) with node with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:38
S48 1	5	remov\$5 with (position\$5 depth level index) with node with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 11:37
S48 4	44	delet\$5 with table with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:19
S48 6	6	restor\$5 with (xml html document) with delet\$5 with add\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:34

S48 7	7	restor\$5 with (xml html document) with delet\$5 with modif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:35
S48 8	10	delet\$5 with (table) with (depth level index) with tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:45
S48 9	52	delet\$5 with (position depth) with tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:48
S49 1	37	delet\$5 with table with reconstruct\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:51
S49 2	191	delet\$5 with table with restor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:12
S49 3	30	delet\$5 with (precomput\$5 pre-comput\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:57
S49 4	11	delet\$5 with (table information record) with (precomput\$5 pre-comput\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:58
S49 5	109	remov\$5 with (precomput\$5 pre-comput\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:02
S49 6	9	remov\$5 with (table information record) with (precomput\$5 pre-comput\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:58
S49 7	4	discard\$5 with (table information record) with (precomput\$5 pre-comput\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:00
S49 8	20	discard\$5 with (precomput\$5 pre-comput\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:00

S49 9	31	extract\$5 with (differen\$5) with updat\$5 with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:13
S50 5	77	(reconstruct\$5 restor\$5) with updat\$5 with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:50
S50 6	2	(reconstruct\$5 restor\$5) with updat\$5 with document with differen\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:52
S50 7	58	(reconstruct\$5 restor\$5) with updat\$5 with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:52
S50 8	20	S507 and extract\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:52
S51 2	423	(extract\$5 with (updat\$5 differen\$5)) with (restor\$5 reconstruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:06
S51 3	75	(extract\$5 with (updat\$5 differen\$5)) with (restor\$5 reconstruct\$5 reconve\$5 conver\$5) with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:01
S51 4	13	(remov\$5 with (updat\$5 differen\$5)) with (restor\$5 reconstruct\$5 reconve\$5 conver\$5) with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:02
S51 5	692	(remov\$5 with (updat\$5 differen\$5)) with (restor\$5 reconstruct\$5 reconve\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:03
S51 6	35	((extract\$5 remov\$5) with (updat\$5 differen\$5)) with (divid\$5) with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:20
S51 7	60	((extract\$5 remov\$5) with (updat\$5 differen\$5)) same (divid\$5) with (document tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:20

S51 8	7	((extract\$5 remov\$5) with (updated)) same (divid\$5) with (document tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:22
S52 0	16	((extract\$5 remov\$5) with (updated)) with (data information) with divid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:23
S52 2	131	((extract\$5 remov\$5) with (updated)) with conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:27
S52 7	330	((extract\$5 remov\$5) with (updated differen\$5)) with (information data) with (restor\$5 reconstruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:45
S52 8	154	((extract\$5 remov\$5) with (updated differen\$5)) with (original) with (restor\$5 reconstruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:51
S53 0	110	((extract\$5 remov\$5) with (updated differen\$5)) with (original) with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:04
S53 7	202	namespace with (arrang\$5 rearang\$5 depth prior\$5 index\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 17:53
S53 8	53	namespace with (tree with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 17:53